Immunizations, Adolescent

Recommended Immunization Schedule for Persons Aged 7 - 18 Years:

Vaccine ? **Age º**	**7- 10 years**	**11-12 years**	**13-18 years**
Diphtheria, Tetanus, Pertussis		---------- X ----------	---------- X †----------
Human Papillomavirus §	§	---------- 3 doses ----------	----------Series † ----------
Meningococcal	---------- X *----------	---------- X ----------	---------- X † ----------
Influenza	---------- Yearly # ----------		
Pneumococcal	---------- X *----------		
Hepatitis A	---------- Series * ----------		
Hepatitis B ±	---------- Series †----------		
Inactivated Poliovirus	---------- Series †----------		
Measles, Mumps, Rubella	---------- Series †----------		
Varicella	---------- Series †----------		

The timing of immunization doses may vary. Timing depends on when immunizations are begun and the brands used.

† Doses only given if needed to catch up on missed doses in the past.

§ Human Papillomavirus immunization is for females only. It can be given as early as 9 years.

* Doses given to high risk groups or in special situations.

2 doses of Influenza vaccine needed if child is under 9 years and has not had a 2 dose series in the past.

± A 2 dose series of Hepatitis B is available for children 11 – 15 years of age.

Document Released: 03/28/2007 Document Re-Released: 10/20/2009

ExitCare® Patient Information ©2011 ExitCare, LLC.